-92

-90

-88

-86

-84

-82

Asterix STL

Mooring Launch

-78

-80





ASTERIX

GENERAL

Type

Diameter

GENERAL	
Operator	Solent Towage Ltd
Built	2013
Builder	Damen
Designed by	Damen
Flag	UK
Classification	Bureau Veritas I Hull • MACH Seagoing Launch
Safety regulations	The Vessel will be built to the basic rules and regulations of MCA, workboat code Category 2. Maximum 60 miles out of a safe haven.
DIMENSIONS	
Length o.a.	13.08 m
Breadth mld.	5,28 m
Draft max.	2,30 m
TONNAGE - DEADWEIGHT	
Gross tonnage	25.41 metric ton
DECK EQUIPMENT	
Deck cranes	
Towing hook	
PROPULSION	
Main engines	2x Volvo D9 MH
Horse power ration	442 bkW (644 bhp) at 1800 rpm
MAIN PROPELLERS	
Maker	2x Fixed pitch propeller



THRUSTERS	
Bow thrusters	
PERFORMANCE	
Bollard pull	9 tonnes
Speed free running	10 knots
LIQUID TANK CAPACITIES	
Marine Gas Oil	5.5 m3
POT water	0.35 m3
Slop tanks	0,3 m3
Sewage tanks	0,32 m3
NAVIGATION EQUIPMENT	
Radar	1x Furuno Navnex 3D MFD 12
Compass	1 x Fluxgate/1x furuno GPS Satlite SC50
Autopilot	
Echo Sounder	
DGPS	1x Furuno GP 32
Lights	2x Search Light 250 W
COMMUNICATION EQUIPMENT	
VHF	2x Sailor RT 2048
ACCOMMODATION	
Double cabins	1 x Double cabin
Other	Galley, Toilet, Shower
LIFESAVING / RESCUE	
Liferafts	1 x 6 persons.

